# Air Force Weather Specialty
Decoding TAFs
Meteorological Watch
Volume 3
June 01

Providing Standardized Training
to
"Exploit the Weather for Battle"

Introduction

Terminal Aerodrome Forecast (TAF)

CCCC TAF (AMD or COR or RTD) YYG1G1G2G2
dddffGfmfmKT VVVV (w'w' or NSW) (NsNsNshshshshsCC or
VVhshshs or SKC) (WSh x h x h x /dddfffKT or
WSCONDS) (6I c h i ih i h i tL) (5Bh B h B h B t L)
QNHP1P1P1P1INS (Remarks) (T(M)T F T F /G F G F Z
GGGeGe or TTGG AMD/COR GGgg) (Limited Forecast
Service Indicator) (FNXXT/QCYY).

Decoding the Terminal Aerodrome Forecast (TAF)

- AFW TAF General Information.

  - Customers

  - Area of Coverage

  - Forecast Elements

AFW TAF Code

- Standardized Format

- Recognized by WMO

- References

AFW TAF CODE

CCCC TAF (AMD or COR or RTD) YYG1G1G2G2 dddffGfmfmKT VVVV (w'w' or NSW) (NsNsNshshshshsCC or VVhshshs or SKC) (WSh x h x h x /dddfffKT or WSCONDS) (6I c h i ih i h i tL) (5Bh B h B h B t L) QNHP1P1P1P1INS (Remarks) (T(M)T F T F /G F G F Z GGGeGe or TTGG AMD/COR GGgg) (Limited Forecast Service Indicator) (FNXXT/QCYY).

KOFF TAF AMD 070502 21023G35KT 6000 -RA SCT008 OVC012
 WS005/30035KT 620125 540002 QNH3018INS T05/15Z T01/06Z
 AMD 0615;

EGUL TAF 211616 12010KT 9000 BR FEW030 BKN090 QNH2950INS
 BECMG 0910 00000KT 0400 FG VV008 QNH2966INS
 WS010/31030KT;

AFW TAF CODE

CCCC **_TAF_** (AMD or COR or RTD) YYG1G1G2G2 dddffGfmfmKT VVVV (w'w' or NSW) (NsNsNshshshsCC or VVhshshs or SKC) (WSh x h x h x /dddfffKT or WSCONDS) (6I c h i ih i h i tL) (5Bh B h B h B t L) QNHP1P1P1P1INS (Remarks) (T(M)T F T F /G F G F Z GGGeGe or TTGG AMD/COR GGgg) (Limited Forecast Service Indicator) (FNXXT/QCYY).

KOFF **_TAF_** AMD 070502 21023G35KT 6000 -RA SCT008 OVC012
WS005/30035KT 620125 540002 QNH3018INS T05/15Z T01/06Z
AMD 0615;

EGUL **_TAF_** 211616 12010KT 9000 BR FEW030 BKN090 QNH2950INS
BECMG 0910 00000KT 0400 FG VV008 QNH2966INS WS010/31030KT;

AFW TAF CODE

CCCC TAF (***AMD or COR or RTD***) YYG1G1G2G2 dddffGfmfmKT VVVV (w'w' or NSW) (NsNsNshshshsCC or VVhshshs or SKC) (WSh x h x h x /ddOfffKT or WSCONDS) (6I c h i ih i h i tL) (5Bh B h B h B t L) QNHP1P1P1P1INS (Remarks)

(T(M)T F T F /G F G F Z GGGeGe or TTGG AMD/COR GGgg) (Limited Forecast Service Indicator) (FNXXT/QCYY).

KOFF TAF ***AMD*** 070502 21023G35KT_6000 -RA SCT008 OVC012
WS005/30035KT 620125 540002 QNH3018INS T05/15Z T01/06Z
AMD 0615;

EGUL TAF ***AMD*** 212016 12010KT 9000 BR FEW030 BKN090 QNH2950INS
BECMG 0910 00000KT 0400 FG VV008 QNH2966INS WS010/31030KT
AMD 2015;

AFW TAF CODE

CCCC TAF (AMD or COR or RTD) **YYG1G1G2G2**
dddffGfmfmKT VVVV (w'w' or NSW) (NsNsNshshshsCC or VVhshshs or SKC) (WSh x h x h x /dddfffKT or WSCONDS) (6I c h i ih i h i tL) (5Bh B h B h B t L) QNHP1P1P1P1INS (Remarks)

(T(M)T F T F /G F G F Z GGGeGe or TTGG AMD/COR GGgg) (Limited Forecast Service Indicator) (FNXXT/QCYY).

KOFF TAF AMD **070502** 21023G35KT_6000 -RA SCT008 OVC012
WS005/30035KT 620125 540002 QNH3018INS T05/15Z T01/06Z
AMD 0615;

EGUL TAF **212016** 12010KT 9000 BR FEW030 BKN090 QNH2950INS
BECMG 0910 00000KT 0400 FG VV008 QNH2966INS
WS010/31030KT

AFW TAF CODE

CCCC TAF (AMD or COR or RTD) YYG1G1G2G2 ***dddffGfmfmKT*** VVVV (w'w' or NSW) (NsNsNshshshsCC or VVhshshs or SKC) (WSh x h x h x /dddfffKT or WSCONDS) (6I c h i ih i h i tL) (5Bh B h B h B t L) QNHP1P1P1P1INS (Remarks)

(T(M)T F T F /G F G F Z GGGeGe or TTGG AMD/COR GGgg) (Limited Forecast Service Indicator) (FNXXT/QCYY).

KOFF TAF AMD 070502 ***21023G35KT*** 6000 -RA
SCT008 OVC012
WS005/30035KT 620125 540002 QNH3018INS
T05/15Z T01/06Z
AMD 0615;

EGUL TAF 212016 ***12010G25KT*** 9999 FEW030
BKN090 QNH2950IN
BECMG 0910 ***00000KT*** 0400 FG VV008 QNH2966INS

AFW TAF CODE

CCCC TAF (AMD or COR or RTD) YYG1G1G2G2 ***dddffGfmfmKT*** VVVV (w'w' or NSW) (NsNsNshshshsCC or VVhshshs or SKC) (WSh x h x h x /dddfffKT or WSCONDS) (6I c h i ih i h i tL) (5Bh B h B h B t L) QNHP1P1P1P1INS (Remarks)

(T(M)T F T F /G F G F Z GGGeGe or TTGG AMD/COR GGgg) (Limited Forecast Service Indicator) (FNXXT/QCYY).

KOFF TAF AMD 070502 ***21023G35KT*** 6000 -RA SCT008 OVC012
WS005/30035KT 620125 540002 QNH3018INS T05/15Z T01/06Z
AMD 0615;

EGUL TAF 212016 ***12010G25KT*** 9999 FEW030 BKN090 QNH2950IN
BECMG 0910 ***00000KT*** 0400 FG VV008 QNH2966INS WS010/31030KT

AFW TAF CODE

CCCC TAF (AMD or COR or RTD) YYG1G1G2G2 dddffGfmfmKT **_VVVV_** (w'w' or NSW) (NsNsNshshshsCC or VVhshshs or SKC) (WSh x h x h x /dddfffKT or WSCONDS) (6I c h i ih i h i tL) (5Bh B h B h B t L) QNHP1P1P1P1INS (Remarks)

(T(M)T F T F /G F G F Z GGGeGe or TTGG AMD/COR GGgg) (Limited Forecast Service Indicator) (FNXXT/QCYY).
KOFF TAF AMD 070502 21023G35KT **_6000_** -RA
SCT008 OVC012
WS005/30035KT 620125 540002 QNH3018INS T05/15Z
T01/06Z
AMD 0615;

EGUL TAF 212016 12010G25KT **_9999_** FEW030 BKN090
QNH2950INS
BECMG 0910 00000KT **_0400_** FG VV008 QNH2966INS
WS010/31030KT

AFW TAF CODE

CCCC TAF (AMD or COR or RTD) YYG1G1G2G2 dddffGfmfmKT VVVV *(w'w' or NSW)* (NsNsNshshshsCC or VVhshshs or SKC) (WSh x h x h x /dddfffKT or WSCONDS) (6I c h i ih i h i tL) (5Bh B h B h B t L) QNHP1P1P1P1INS (Remarks)

(T(M)T F T F /G F G F Z GGGeGe or TTGG AMD/COR GGgg) (Limited Forecast Service Indicator) (FNXXT/OCYY)

KOFF TAF AMD 070502 21023G35KT 6000 *-RA* SCT008 OVC012 WS005/30035KT 620125 540002 QNH3018INS T05/15Z T01/06Z
BECMG 1112 33010/20KT 9999 *NSW* SCT015 520002 QNH3022INS AMD 0615;

EGUL TAF 212016 12010KT 9999 *-SHRA* OVC050 QNH2950INS
BECMG 2223 12005KT 9999 *NSW* SCT050 QNH2958INS
BECMG 0708 00000KT 0400 *FG* VV008 QNH2966INS WS010/31030KT

AFW TAF CODE

TAF (AMD or COR or RTD) YYG1G1G2G2 dddffmfmKT VVVV *(w'w' or NSW)* (NsNsNshshshsCC or VVhshshs or SKC) (WSh x h x h x /dddfffKT or WSCONDS) (6I c h i ih i h i tL) (5Bh B h B h B t L) QNHP1P1P1P1INS (Remarks)

(T(M)T F T F /G F G F Z GGGeGe or TTGG AMD/COR GGgg) (Limited Forecast Service Indicator) (FNXXT/OCYY)

KOFF TAF AMD 070502 21023G35KT 6000 *-RA* SCT008 OVC012 WS005/30035KT 620125 540002 QNH3018INS T05/15Z T01/06Z
BECMG 1112 33010/20KT 9999 *NSW* SCT015 520002 QNH3022INS AMD 0615;

AFW TAF CODE

CCCC TAF (AMD or COR or RTD) YYG1G1G2G2 dddffGfmfmKT VVVV (w'w' or NSW) ***(NsNsNshshshshsCC or VVhshshs or SKC)*** (WSh x h x h x /dddfffKT or WSCONDS) (6I c h i ih i h i tL) (5Bh B h B h B t L) QNHP1P1P1P1INS (Remarks)

(T(M)T F T F /G F G F Z GGGeGe or TTGG AMD/COR GGgg) (Limited Forecast Service Indicator) (FNXXT/QCYY).

KOFF TAF AMD 070502 21023G35KT 6000 -RA ***SCT008 OVC012*** WS005/30035KT 620125 540002 QNH3018INS T05/15Z T01/06Z AMD 0615;

EGUL TAF 212016 12010KT 9999 ***FEW030 OVC050*** QNH2950INS
BECMG 0910 00000KT 0400 FG ***VV008*** QNH2966INS WS010/31030KT

AFW TAF CODE

CCCC TAF (AMD or COR or RTD) YYG1G1G2G2 dddffGfmfmKT VVVV (w'w' or NSW) ***(NsNsNshshshsCC or VVhshshs or SKC)*** (WSh x h x h x /dddfffKT or WSCONDS) (6I c h i ih i h i tL) (5Bh B h B h B t L) QNHP1P1P1P1INS (Remarks)

(T(M)T F T F /G F G F Z GGGeGe or TTGG AMD/COR GGgg) (Limited Forecast Service Indicator) (FMXXFTQCFY)

OKAT TAF AMD 070502 21023G35KT 6000 -RA ***SCT008 OVC012*** WS005/30035KT 620125 540002 QNH3018INS T05/15Z T01/06Z AMD 0615;

EGUL TAF 212016 12010KT 9999 ***FEW030 OVC050*** QNH2950INS

BECMG 0910 00000KT 0400 FG ***VV008*** QNH2966INS WS010/31030KT

AFW TAF CODE

CCCC TAF (AMD or COR or RTD) YYG1G1G2G2
dddffGfmfmKT VVVV (w'w' or NWS)
(NsNsNshshshsCC or VVhshshs or SKC) (WSh x h
x h x /dddfffKT or WSCONDS) (6I c h i ih i h i tL) (5Bh
B h B h B t L) QNHP1P1P1P1INS (Remarks)

(T(M)T F T F /G F G F Z GGGeGe or TTGG AMD/COR
GGgg) (Limited Forecast Service Indicator)
(FNXXT/QCYY).

KOFF TAF AMD 070502 21023G35KT 6000 -RA
SCT008 OVC012 WS005/30035KT 620125 540002
QNH3018INS T05/15Z T01/06Z AMD 0615;

EGUL TAF 212016 12010KT 9999 ***FEW030
OVC050*** QNH2950INS
BECMG 0910 00000KT 0400 FG ***VV008***
QNH2966INS WS010/31030KT

AFW TAF CODE

KBLV TAF 211212 04003KT 0800 *FG BKN000*
  QNH3002INS
BECMG 1314 18010KT 1600 BR SCT012 QNH2995INS
BECMG 1516 15010/15KT 9999 NSW SCT250 QNH2992INS

KWRI TAF 151111 07005KT 1600 *FU SCT000*
  QNH3005INS
BECMG 1314 15010KT 6000 FU SCT000 QNH3010INS
BECMG 1617 18010KT 9999 NSW SKC QNH3015INS

AFW TAF CODE

KOFF TAF AMD 070502 21023G35KT 6000 -RA
  SCT008
OVC012 WS005/30035KT 620125 540002
  QNH3018INS
T05/15Z T01/06Z AMD 0615;

EGUL TAF 212016 12010KT 9999 *FEW030*
  OVC050
QNH2950INS
BECMG 0910 00000KT 0400 FG *VV008*
  QNH2966INS
WS010/31030KT

AFW TAF CODE

CCCC TAF (AMD or COR or RTD) YYG1G1G2G2 dddffGfmfmKT VVVV (w'w' or NSW) (NsNsNshshshsCC or VVhshshs or SKC) ***(WSh x h x h x /dddfffKT or WSCONDS)*** (6I c h i ih i h i tL) (5Bh B h B h B t L) QNHP1P1P1P1INS (Remarks)

(T(M)T F T F /G F G F Z GGGeGe or TTGG AMD/COR GGgg) (Limited Forecast Service Indicator) (FNXXT/QCYY).

KOFF TAF AMD 070502 21023G35KT 6000 -RA SCT008 OVC012 ***WS005/30035KT*** 620125 540002 QNH3018INS T05/15Z T01/06Z AMD 0615;

AFW TAF CODE

CCCC TAF (AMD or COR or RTD) YYG1G1G2G2 dddffGfmfmKT VVVV (w'w' or NSW) (NsNsNshshshsCC or VVhshshs or SKC) *(WSh x h x h x /dddfffKT or WSCONDS)* (6I c h i ih i h i tL) (5Bh B h B h B t L) QNHP1P1P1P1INS (Remarks) (T(M)T F T F /G F G F Z GGGeGe or TTGG AMD/COR GGgg) (Limited Forecast Service Indicator) (FNXXT/QCYY).

KOFF TAF AMD 070502 21023G35KT 6000 -RA SCT008 OVC012 *WS005/30035KT* 620125 540002 QNH3018INS T05/15Z T01/06Z AMD 0615;

EGUL TAF 212016 12010KT 9999 FEW030 OVC050 QNH2950INS
BECMG 0910 00000KT 0400 FG VV008 QNH2966INS
WS010/31030KT

 NOTE: AMIS software does not currently support placement of the (WSh x h x h x /dddfffKT or WSCONDS) group in the body of the forecast. NTFS equipped units may place it in the remarks section of

AFW TAF CODE

TAF (AMD or COR or RTD) YYG1G1G2G2 fmfmKT VVVV (w'w' or NSW) (NsNsNshshshsCC or VVhshshs or SKC) (WSh x h x h x /dddfffKT or WSCONDS) *(6I c h i ih i h i tL)* (5Bh B h B h B t L) QNHP1P1P1P1INS (Remarks)

(T(M)T F T F /G F G F Z GGGeGe or TTGG AMD/COR GGgg) (Limited Forecast Service Indicator) (FNXXT/QCYY).

KOFF TAF AMD 070502 21023G35KT 6000 -RA SCT008 OVC012 WS005/30035KT *620125* 540002 QNH3018INS T05/15Z T01/06Z EGUL TAF 211616 12010KT 9000 -SHRA FEW000 FEW030 BKN090 *620903* 510005 QNH2950INS AMD 0615;

AFW TAF CODE

TAF (AMD or COR or RTD) YYG1G1G2G2 dddffGfmfmKT VVVV (w'w' or NSW) (NsNsNshshshsCC or VVhshshs or SKC) (WSh x h x h x /dddfffKT or WSCONDS) (6I c h i ih i h i tL) *(5Bh B h B h B t L)* QNHP1P1P1P1INS (Remarks)

(T(M)T F T F /G F G F Z GGGeGe or TTGG AMD/COR GGgg) (Limited Forecast Service Indicator) (FNXXT/OCYY).

KOFF TAF AMD 070502 21023G35KT 6000 -RA SCT008 OVC012 WS005/30035KT 620125 *540002* QNH3018INS T05/15Z T01/06Z AMD 0615;

EGUL TAF 211616 12010KT 9000 -SHRA FEW000 FEW030 BKN090 620903 *510005* QNH2950INS

AFW TAF CODE

CCCC TAF (AMD or COR or RTD) YYG1G1G2G2
dddffGfmfmKT VVVV (w'w' or NSW) (NsNsNshshshsCC or
VVhshshs or SKC) (WSh x h x h x /dddfffKT or WSCONDS)
(6I c h i ih i h i tL) (5Bh B h B h B t L)
QNHP1P1P1P1INS (Remarks)

(T(M)T F T F /G F G F Z GGGeGe or TTGG AMD/COR
GGgg) (Limited Forecast Service Indicator)
(FNXXT/QCYY).
KOFF TAF AMD 070502 21023G35KT 6000 -RA
SCT008 OVC012
WS005/30035KT 620125 540002 ***QNH3018INS***
T05/15Z T01/06Z
BECMG 0910 23015KT 9000 BR SCT007 BKN015
OVC020 ***QNH3020INS*** AMD 0615;

EGUL TAF 211616 12010KT 9000 -SHRA FEW000
FEW030 BKN090 620903 510005 ***QNH2950INS***

AFW TAF CODE

CCCC TAF (AMD or COR or RTD) YYG1G1G2G2 dddffGfmfmKT VVVV (w'w' or NSW) (NsNsNshshshsCC or VVhshshs or SKC) (WSh x h x h x /ddddfffKT or WSCONDS) (6I c h i ih i h i tL) (5Bh B h B h B t L) QNHP1P1P1P1INS ***(Remarks)*** (T(M)T F T F /G F G F Z GGGeGe or TTGG AMD/COR GGgg) (Limited Forecast Service Indicator) (FNXXT/QCYY).

KOFF TAF AMD 070502 21023G35KT 6000 -RA SCT008 OVC012
WS005/30035KT 620125 540002 QNH3018INS T05/15Z T01/06Z
BECMG 0910 23015KT 9000 BR SCT007 BKN015 OVC020 QNH3020INS
TEMPO 1015 23010G15KT 5000 BR OVC008
BECMG 1415 23008KT 9999 NSW SCT010 BKN020 QNH3023INS
BECMG 2223 22006KT 8000 BR FEW010 SCT020 QNH3025INS
FOG OVR RIVER E AMD 0530 LAST NO AMDS AFT

AFW TAF CODE

CCCC TAF (AMD or COR or RTD) YYG1G1G2G2 dddffGfmfmKT VVVV (w'w' or NSW) (NsNsNshshshsCC or VVhshshs or SKC) (WSh x h x h x /dddfffKT or WSCONDS) (6I c h i ih i h i tL) (5Bh B h B h B t L) QNHP1P1P1P1INS *(Remarks)*

(T(M)T F T F /G F G F Z GGGeGe or TTGG AMD/COR GGgg) (Limited Forecast Service Indicator) (FMYYTTGGY)

KDXX TAF AMD 070502 21023G35KT 6000 -RA
 SCT008 OVC012 WS005/30035KT 620125 540002
 QNH3018INS *T05/15Z T01/06Z*
 BECMG 0910 23015KT 9000 BR SCT007 BKN015
 OVC020 QNH3020INS
 TEMPO 1015 23010G15KT 5000 BR OVC008
 BECMG 1415 23008KT 9999 NSW SCT010 BKN020
 QNH3023INS
 BECMG 2223 22006KT 8000 BR FEW010 SCT020
 QNH3025INS
 FOG OVR RIVER E AMD 0530 LAST NO AMDS AFT
 0710 NEXT 1002:

AFW TAF CODE

CCCC TAF (AMD or COR or RTD) YYG1G1G2G2 dddffGfmfmKT VVVV (w'w' or NSW) (NsNsNshshshsCC or VVhshshs or SKC) (WSh x h x h x /dddfffKT or WSCONDS) (6I c h i ih i h i tL) (5Bh B h B h B t L) QNHP1P1P1P1INS (Remarks) *(T(M)T F T F /G F G F Z GGGeGe)* (TTGG AMD/COR GGgg) (Limited Forecast Service Indicator) (FNXXT/QCYY).

KOFF TAF AMD 070502 21023G35KT 6000 -RA SCT008 OVC012
WS005/30035KT 620125 540002 QNH3018INS
T05/15Z T01/06Z
BECMG 0910 23015KT 9000 BR SCT007 BKN015 OVC020 QNH3020INS
TEMPO 1015 23010G15KT 5000 BR OVC008
BECMG 1415 23008KT 9999 NSW SCT010 BKN020 QNH3023INS
BECMG 2223 22006KT 8000 BR FEW010 SCT020 QNH3025INS
FOG OVR RIVER E AMD 0530 LAST NO AMDS AFT

AFW TAF CODE

CCCC TAF (AMD or COR or RTD) YYG1G1G2G2 dddffGfmfmKT VVVV (w'w' or NSW) (NsNsNshshshsCC or VVhshshs or SKC) (WSh x h x h x /dddfffKT or WSCONDS) (6I c h i ih i h i tL) (5Bh B h B h B t L) QNHP1P1P1P1INS (Remarks) *(T(M)T F T F /G F G F Z GGGeGe)* (TTGG AMD/COR GGgg) (Limited Forecast Service Indicator) (FNXXT/QCYY).

KOFF TAF AMD 070502 21023G35KT 6000 -RA SCT008 OVC012 WS005/30035KT 620125 540002 QNH3018INS T05/15Z T01/06Z

BECMG 0910 23015KT 9000 BR SCT007 BKN015 OVC020 QNH3020INS

TEMPO 1015 23010G15KT 5000 BR OVC008

BECMG 1415 23008KT 9999 NSW SCT010 BKN020 QNH3023INS

BECMG 2223 22006KT 8000 BR FEW010 SCT020 QNH3025INS

FOG OVR RIVER E AMD 0530 LAST NO AMDS AFT 0710 NEXT 1002;

AFW TAF CODE

KOFF TAF AMD 070502 21023G35KT 6000 -RA SCT008 OVC012 WS005/30035KT 620125 540002 QNH3018INS T05/15Z T01/06Z
BECMG 0910 23015KT 9000 BR SCT007 BKN015 OVC020 QNH3020INS
TEMPO 1015 23010G15KT 5000 BR OVC008
BECMG 1415 23008KT 9999 NSW SCT010 BKN020 QNH3023INS
BECMG 2223 22006KT 8000 BR FEW010 SCT020 QNH3025INS
FOG OVR RIVER E AMD 0530 LAST NO AMDS AFT 0710 NEXT 1002;

AFW TAF CODE

CCCC TAF (AMD or COR or RTD) YYG1G1G2G2 dddffGfmfmKT VVVV (w'w' or NSW) (NsNsNshshshsCC or VVhshshs or SKC) (WSh x h x h x /dddfffKT or WSCONDS) (6I c h i ih i h i tL) (5Bh B h B h B t L) QNHP1P1P1P1INS (Remarks)

(T(M)T F T F /G F G F Z GGGeGe) *(TTGG AMD/COR GGgg)* (Limited Forecast Service Indicator) (FNXXT/QCYY).
 KOFF TAF AMD 070502 21023G35KT 6000 -RA
 SCT008 OVC012 WS005/30035KT 620125 540002
 QNH3018INS T05/15Z T01/06Z
 BECMG 0910 23015KT 9000 BR SCT007 BKN015
 OVC020 QNH3020INS
 TEMPO 1015 2310G15KT 5000 BR OVC 008
 BECMG 1415 23008KT 9999 NSW SCT010 BKN020
 QNH3023INS
 BECMG 2223 22006KT 8000 BR FEW010 SCT020
 QNH3025INS
 FOG OVR RIVER E *AMD 0530* LAST NO AMDS AFT
 0710 NEXT 1002;

AFW TAF CODE

CCCC TAF (AMD or COR or RTD) YYG1G1G2G2 dddffGfmfmKT VVVV (w'w' or NSW) (NsNsNshshshsCC or VVhshshs or SKC) (WSh x h x h x /dddfffKT or WSCONDS) (6I c h i ih i h i tL) (5Bh B h B h B t L) QNHP1P1P1P1INS (Remarks)

(T(M)T F T F /G F G F Z GGGeGe) (TTGG AMD/COR GGgg) *(Limited Forecast Service Indicator)* (FNXXT/QCYY)

KOFF TAF AMD 070502 21023G35KT 6000 -RA
SCT008 OVC012
WS005/30035KT 620125 540002 QNH3018INS
T05/15Z T01/06Z
BECMG 0910 23015KT 9000 BR SCT007 BKN015
OVC020 QNH3020INS
TEMPO 1015 23010G15KT 5000 BR OVC008
BECMG 1415 23008KT 9999 NSW SCT010 BKN020
QNH3023INS
BECMG 2223 22006KT 8000 BR FEW010 SCT020
QNH3025INS
FOG OVR RIVER E AMD 0530 *LAST NO AMDS AFT*

AFW TAF CODE

CCCC TAF (AMD or COR or RTD) YYG1G1G2G2 dddffGfmfmKT VVVV (w'w' or NSW) (NsNsNshshshsCC or VVhshshs or SKC) (WSh x h x h x /dddfffKT or WSCONDS) (6I c h i ih i h i tL) (5Bh B h B h B t L) QNHP1P1P1P1INS (Remarks)

(T(M)T F T F /G F G F Z GGGeGe) (TTGG AMD/COR GGgg) (Limited Forecast Service Indicator) ~~(FNXXT/OCXX)~~

KOFF TAF AMD 070502 21023G35KT 6000 -RA SCT008 OVC012
WS005/30035KT 620125 540002 QNH3018INS T05/15Z T01/06Z
BECMG 0910 23015KT 9000 BR SCT007 BKN015 OVC020 QNH3020INS
TEMPO 1015 23010G15KT 5000 BR OVC008
BECMG 1415 23008KT 9999 NSW SCT010 BKN020 QNH3023INS
BECMG 2223 22006KT 8000 BR FEW010 SCT020 QNH3025INS
FOG OVR RIVER E AMD 0530 *LAST NO AMDS AFT*

NWS TAF CODE

TAF CCCC YYGG gg Z Y 1 Y 1 G 1 G 1 G 2 G 2 dddffGfmfmKT (VVVV or CAVOK) (w'w' or NSW) (N s N s N s h s h s h s or Vvh s h s h s or SKC) WSh x h x h x /dddffKT (6I c h i h i h i t L) (5Bh B h B h B t L) (TT F T F /G F G F Z) (TTTTT GGG e G e or TTGGgg) PROBC 2 C 2 GGG e G e

NWS TAF CODE

TAF CCCC YYGG gg Z Y$_1$ Y$_1$ G$_1$ G$_1$ G$_2$ G$_2$ dddffGf$_m$f$_m$KT (VVVV or CAVOK) (w'w' or NSW) (N$_s$ N$_s$ N$_s$ h$_s$ h$_s$ h$_s$ or V$_v$h$_s$h$_s$h$_s$ or SKC) WSh$_x$ h$_x$ h$_x$ /dddffKT (6I$_c$ h$_i$ h$_i$ h$_i$ t$_L$) (5B$_h$ B$_h$ B$_h$ B t$_L$) (TT F T F /G F G F Z) (TTTTT GGG$_e$ G$_e$ or TTGGgg) PROBC$_2$ C$_2$ GGG$_e$ G$_e$

TAF KATL 031612Z AMD

KATL 031559Z 031612 21007KT P6SM SCT015 OVC035

NWS TAF CODE

TAF CCCC **YYGG gg Z** Y 1 Y 1 G 1 G 1 G 2 G 2 dddffGfmfmKT (VVVV or CAVOK) (w'w' or NSW) (N s N s N s h s h s h s or Vvh s h s h s or SKC) WSh x h x h x /ddffKT (6I c h i h i h i t L) (5Bh B h B h B t L) (TT F T F /G F G F Z) (TTTTT GGG e G e or TTGGgg) PROBC 2 C 2 GGG e G e

KATL 031612 AMD

KATL **031559Z** 031612 21007KT P6SM SCT015 OVC035

NWS TAF CODE

TAF CCCC YYGG gg Z ***Y 1 Y 1 G 1 G 1 G 2 G 2*** dddffGfmfmKT (VVVV or CAVOK) (w'w' or NSW) (N s N s N s h s h s h s or Vvh s h s h s or SKC) WSh x h x h x /dddffKT (6I c h i h i h i t L) (5Bh B h B h B t L) (TT F T F /G F G F Z) (TTTTT GGG e G e or TTGGgg) PROBC 2 C 2 GGG e G e

KATL 031612 AMD

KATL 031559Z ***031612*** 21007KT P6SM SCT015 OVC035

NWS TAF CODE

TAF CCCC YYGG gg Z Y₁Y₁G₁G₁G₂G₂ ***dddffGfmfmKT*** (VVVV or CAVOK) (w'w' or NSW) (N s N s N s h s h s h s or Vvh s h s h s or SKC) WSh x h x h x /dddffKT (6I c h i h i h i t L) (5Bh B h B h B t L) (TT F T F /G F G F Z) (TTTTT GGG e G e or TTGGgg) PROBC 2 C 2 GGG e G e

KATL 031612 AMD

KATL 031559Z 031612 ***21007KT*** P6SM SCT015 OVC035

NWS TAF CODE

TAF CCCC YYGG gg ZY1Y1G1G1G2G2 dddffGfmfmKT *(VVVV or CAVOK)* (w'w' or NSW) (N s N s N s h s h s h s or Vvh s h s h s or SKC) WSh x h x h x /dddffKT (6I c h i h i h i t L) (5Bh B h B h B t L) (TT F T F /G F G F Z) (TTTTT GGG e G e or TTGGgg) PROBC 2 C 2 GGG e G e

KATL 031612 AMD

KATL 031559Z 031612 21007KT *P6SM* SCT015 OVC035

NWS TAF CODE

TAF CCCC YYGG gg ZY1Y1G1G1G2G2 dddffGfmfmKT (VVVV or CAVOK) *(w'w' or NSW)* (N s N s N s h s h s h s or Vvh s h s h s or SKC) WSh x h x h x /dddffKT (6I c h i h i h i t L) (5Bh B h B h B t L) (TT F T F /G F G F Z) (TTTTT GGG e G e or TTGGgg) PROBC 2 C 2 GGG e G e

KATL 031612 AMD

KATL 031559Z 031612 21007KT P6SM SCT015 OVC035

TEMPO 1620 *2SM -TSRA* BR BKN015CB

NWS TAF CODE

TAF CCCC YYGG gg ZY1Y1G1G1G2G2 dddffGfmfmKT (VVVV or CAVOK) *(w'w' or NSW)* (N s N s N s h s h s h s or Vvh s h s h s or SKC) WSh x h x h x /dddffKT (6I c h i h i h i t L) (5Bh B h B h B t L) (TT F T F /G F G F Z) (TTTTT GGG e G e or TTGGgg) PROBC 2 C 2 GGG e G e

KATL 031612 AMD

KATL 031559Z 031612 21007KT P6SM SCT015 OVC035

TEMPO 1620 2SM -TSRA BR BKN015CB

FM2000 27008KT P6SM BKN020

TEMPO 2002 *5SM -SHRA BR*

NWS TAF CODE

TAF CCCC YYGG gg ZY1Y1G1G1G2G2 dddffGfmfmKT (VVVV or CAVOK) (w'w' or NSW) *(N s N s N s h s h s h s or Vvh s h s h s or SKC)* WSh x h x h x /dddffKT (6I c h i h i h i t L) (5Bh B h B h B t L) (TT F T F /G F G F Z) (TTTTT GGG e G e or TTGGgg) PROBC 2 C 2 GGG e G e

KATL 031612 AMD

KATL 031559Z 031612 21007KT P6SM *SCT015 OVC035*

TEMPO 1620 2SM -TSRA BR *BKN015CB*

FM2000 27008KT P6SM BKN020

TEMPO 2002 5SM -SHRA BR

NWS TAF CODE

TAF CCCC YYGG gg ZY1Y1G1G1G2G2 dddffGfmfmKT (VVVV or CAVOK) (w'w' or NSW) (N s N s N s h s h s h s or Vvh s h s h s or SKC) ***WSh x h x h x /dddffKT*** (6I c h i h i h i t L) (5Bh B h B h B t L) (TT F T F /G F G F Z) (TTTTT GGG e G e or TTGGgg) PROBC 2 C 2 GGG e G e

KATL 031612 AMD

KATL 031559Z 031612 21007KT P6SM SCT015 OVC035
WS005/30035KT

TEMPO 1620 2SM -TSRA BR BKN015CB

FM2000 27008KT P6SM BKN020

TEMPO 2002 5SM -SHRA BR

FM0200 27008KT 5SM BR BKN030 PROB40 0208 3SM -SHRA BR BKN020

NWS TAF CODE

TAF CCCC YYGG gg ZY1Y1G1G1G2G2 dddffGfmfmKT (VVVV or CAVOK) (w'w' or NSW) (N s N s N s h s h s h s or Vvh s h s h s or SKC) WSh x h x h x /dddffKT *(6I c h i h i h i t L) (5Bh B h B h B t L) (TT F T F /G F G F Z)* (TTTTT GGGeGe or TTGGgg) PROBC2C2 GGGeGe

KATL 031612 AMD

KATL 031559Z 031612 21007KT P6SM SCT015 OVC035_____

TEMPO 1620 2SM -TSRA BR BKN015CB

FM2000 27008KT P6SM BKN020

TEMPO 2002 5SM -SHRA BR

FM0200 27008KT 5SM BR BKN030 PROB40 0208 3SM -SHRA BR BKN020

NWS TAF CODE

TAF CCCC YYGG gg ZY1Y1G1G1G2G2 dddffGfmfmKT (VVVV or CAVOK) (w'w' or NSW) (N s N s N s h s h s h s or Vvh s h s h s or SKC) WSh x h x h x /dddffKT (6I c h i h i h i t L) (5Bh B h B h B t L) (TT F T F /G F G F Z) (TTTTT GGGeGe or TTGGgg) PROBC2C2 GGGeGe

KATL 031612 AMD

KATL 031559Z 031612 21007KT P6SM SCT015 OVC035

TEMPO 1620 2SM -TSRA BR BKN015CB

FM2000 27008KT P6SM BKN020

TEMPO 2002 5SM -SHRA BR

FM0200 27008KT 5SM BR BKN030 PROB40 0208 3SM -SHRA BR BKN020

- *Note: No altimeter setting.*

NWS TAF CODE

TAF CCCC YYGG gg ZY1Y1G1G1G2G2 dddffGfmfmKT (VVVV or CAVOK) (w'w' or NSW) (N s N s N s h s h s h s or Vvh s h s h s or SKC) WSh x h x h x /dddffKT (6I c h i h i h i t L) (5Bh B h B h B t L) (TT F T F /G F G F Z) (TTTTT GGGeGe or TTGGgg) *PROBC2C2 GGGeGe*

KATL 031612 AMD

KATL 031559Z 031612 21007KT P6SM SCT015 OVC035

TEMPO 1620 2SM -TSRA BR BKN015CB

FM2000 27008KT P6SM BKN020

TEMPO 2002 5SM -SHRA BR

FM0200 27008KT 5SM BR BKN030 *PROB40* 0208 3SM -SHRA BR BKN020